

L Number	Hits	Search Text	DB	Time stamp
1	8	340/640.ccls. and ((metal alloy composition) same (alarm indicat\$3! signal detect\$3! sens\$3!))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/05 09:19
2	518	219/497,505,484,506,552,553.ccls. and ((metal alloy composition) same (alarm indicat\$3! signal detect\$3! sens\$3!))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/05 09:51
3	162	219/497,505,484,506,552,553.ccls. and ((composition) same (alarm indicat\$3! signal detect\$3! sens\$3!))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/05 09:43
4	342	392/407.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/05 09:44
5	11	392/407.ccls. and ((composition alloy metal) with (chang\$3! differen\$3!))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/05 09:50
6	0	392/407.ccls. and ((bi-metallic bimettalic) near3 (strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/05 09:51
7	6	219/497,505,484,506,552,553.ccls. and ((bi-metallic bimettalic) near3 (strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/05 09:51
-	178	4,549,073 5,280,422 5,552,998 5,629,869 4,979,134 5,754,451 5,864,773	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/01 14:40
-	14	US-4549073-\$.DID. OR US-5280422-\$.DID. OR US-5552998-\$.DID. OR US-5629869-\$.DID. OR US-4979134-\$.DID. OR US-5754451-\$.DID. OR US-5864773-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/03 10:56
-	3	5552998.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/01 16:37
-	2	("6080973").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/01 17:00
-	76	340/640.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/04 13:48
-	1016	219/497,505,484,506.ccls. and (resistance and volt\$3! and (current amper\$3!))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/02 14:33
-	271	(219/497,505,484,506.ccls. and (resistance and volt\$3! and (current amper\$3!))) and (alarm indicator)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/02 14:24
-	263	((219/497,505,484,506.ccls. and (resistance and volt\$3! and (current amper\$3!))) and (alarm indicator)) and (reference threshold base\$4!)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/02 11:51
-	10	(219/497,505,484,506.ccls. and (resistance and volt\$3! and (current amper\$3!))) and (iron and chromium and aluminum)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/04 13:51
-	1	5552998.pn. and element	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/02 12:36

-	0	5552998.pn. and range	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/02 12:37
-	68	((219/497,505,484,506.ccls. and (resistance and volt\$3! and (current amper\$3!))) and (alarm indicator)) and (graph graphical)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/02 14:25
-	8	340/640.ccls. and (graph graphical curve)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/02 14:28
-	1336	219/497,505,484,506.ccls. and ((heat\$3! thermal geothermic) near3 (element))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/02 14:34
-	4	340/640.ccls. and ((differen\$3! chang\$3!) near4 (composition material))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/03 08:53
-	229	219/497,505,484,506.ccls. and ((differen\$3! chang\$3!) near4 (composition material))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/05 09:18
-	155	(219/497,505,484,506.ccls. and ((differen\$3! chang\$3!) near4 (composition material)) ) and (alloy metal metal\$3!)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/03 09:37
-	2	5270520.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/03 09:38
-	14	US-4549073-\$.DID. OR US-5280422-\$.DID. OR US-5552998-\$.DID. OR US-5629869-\$.DID. OR US-4979134-\$.DID. OR US-5754451-\$.DID. OR US-5864773-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/03 10:56
-	8	(US-4549073-\$.DID. OR US-5280422-\$.DID. OR US-5552998-\$.DID. OR US-5629869-\$.DID. OR US-4979134-\$.DID. OR US-5754451-\$.DID. OR US-5864773-\$.DID. ) and (composition material metal\$3! alloy)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/03 10:57
-	2	340/640.ccls. and (oxidize oxidation)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/05 09:13
-	77	219/497,505,484,506.ccls. and (oxidize oxidation)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/04 14:15
-	273	219/552,553.ccls. and (oxidize oxidation)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/04 14:22
-	10	(219/552,553.ccls. and (oxidize oxidation)) and (alarm indicator alert warn\$3!)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/04 14:28
-	147	(219/552,553.ccls. and (oxidize oxidation)) and (detect\$3! indicat\$3!)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/04 14:55
-	2	4518850.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/04 15:41
-	4	((("4968872") or ("5891497"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/04 15:42

-	4	(( "4968872" ) or ( "4891497" ) ).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/11/04 15:42
---	---	---------------------------------------	---	---------------------